

# SAFETY DATA SHEET

#### 1. Identification

## Material name: TREMPRO 644 RTV CLEAR Material: 6445005 312

#### Recommended use and restriction on use

Recommended use: Sealant Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

Tremco Canadian Sealants 220 Wicksteed Ave Toronto ON M4H 1G7 CA

Contact person: Telephone: Emergency telephone number: EH&S Department 1-800-263-6046 1-800-424-9300 (US); 1-613-996-6666 (Canada)

#### 2. Hazard(s) identification

#### Hazard Classification

#### **Health Hazards**

| Acute toxicity (Inhalation - dust and | Category 4  |
|---------------------------------------|-------------|
| mist)                                 |             |
| Carcinogenicity                       | Category 1B |

#### **Unknown toxicity - Health**

| Acute toxicity, oral                     | 77.32 % |
|--|---------|
| Acute toxicity, dermal                   | 83.43 % |
| Acute toxicity, inhalation, vapor        | 100 %   |
| Acute toxicity, inhalation, dust or mist | 93.43 % |

#### Label Elements

#### Hazard Symbol:





Danger



| Hazard Statement:                             | Harmful if inhaled.<br>May cause cancer.  |
|---|---|
| Precautionary<br>Statements                   |   |
| Prevention:                                   | Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. |
| Response:                                     | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  |
| Storage:                                      | Store locked up.  |
| Disposal:                                     | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.  |
| Hazard(s) not otherwise<br>classified (HNOC): | None.   |

## 3. Composition/information on ingredients

#### **Mixtures**

| Chemical Identity                              | CAS number  | Content in percent (%)* |
|--|-------------|-------------------------|
| Polydimethylsiloxane, trimethyl endcap         | 63148-62-9  | 10 - <25%               |
| Silicon dioxide, amorphous                     | 112945-52-5 | 10 - <20%               |
| Distillates, petroleum,<br>hydrotreated middle | 64742-46-7  | 5 - <10%                |
| Ethyltriacetoxysilane                          | 17689-77-9  | 5 - <10%                |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

| Ingestion:                     | Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  |
|--------------------------------|---|
| Inhalation:                    | Move to fresh air.  |
| Skin Contact:                  | Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.  |
| Eye contact:                   | Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. |
| Most important symptoms/offset | to south and delayed  |

#### Most important symptoms/effects, acute and delayed

Symptoms: May cause skin and eye irritation.



#### Indication of immediate medical attention and special treatment needed

| Treatment:   | Symptoms may be delayed.  |
|--|---|
| 5. Fire-fighting measures  |   |
| General Fire Hazards:  | No unusual fire or explosion hazards noted.   |
| Suitable (and unsuitable) extingu  | lishing media   |
| Suitable extinguishing media:  | Use fire-extinguishing media appropriate for surrounding materials.   |
| Unsuitable extinguishing media:  | Do not use water jet as an extinguisher, as this will spread the fire.  |
| Specific hazards arising from the chemical:                                | During fire, gases hazardous to health may be formed.   |
| Special protective equipment an  | d precautions for firefighters  |
| Special fire fighting procedures:  | No data available.  |
| Special protective equipment for fire-fighters:                            | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.   |
| 6. Accidental release measures   | 5   |
| Personal precautions,<br>protective equipment and<br>emergency procedures: | No data available.  |
| Methods and material for<br>containment and cleaning<br>up:                | Collect spillage in containers, seal securely and deliver for disposal according to local regulations.  |
| Notification Procedures:   | In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.   |
| Environmental Precautions:   | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.   |
| 7. Handling and storage  |   |
| Precautions for safe handling:   | Do not handle until all safety precautions have been read and understood.<br>Obtain special instructions before use. Use personal protective equipment<br>as required. Ventilate well, avoid breathing vapors. Use approved respirator<br>if air contamination is above accepted level. Use mechanical ventilation in<br>case of handling which causes formation of dust. |



#### Conditions for safe storage, Store locked up. including any incompatibilities:

### 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

| Chemical Identity   | Туре | Exposure Limit Values                                   | Source   |
|---|------|---|--|
| Silicon dioxide, amorphous  | TWA  | 20 millions of<br>particles per<br>cubic foot of<br>air | US. OSHA Table Z-3 (29 CFR 1910.1000)<br>(2000)                                |
|   | TWA  | 0.8 mg/m3   | US. OSHA Table Z-3 (29 CFR 1910.1000)<br>(2000)                                |
| Distillates, petroleum,<br>hydrotreated middle -<br>Inhalable fraction. | TWA  | 5 mg/m3   | US. ACGIH Threshold Limit Values (03 2014)                                     |
| Distillates, petroleum,<br>hydrotreated middle - Mist.                  | PEL  | 5 mg/m3   | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006) |

| Chemical name   | Туре | Exposure Limit Values | Source   |
|---|------|-----------------------|--|
| Distillates, petroleum,<br>hydrotreated middle - Mist.                  | TWA  | 1 mg/m3               | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (05 2013) |
| Distillates, petroleum,<br>hydrotreated middle -<br>Inhalable fraction. | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)   |
|   | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)   |
| Distillates, petroleum,<br>hydrotreated middle - Mist.                  | STEL | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
|   | TWA  | 5 mg/m3               | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |

| Chemical name   | Туре | Exposure Limit Values | Source   |
|---|------|-----------------------|--|
| Distillates, petroleum,<br>hydrotreated middle - Mist.                  | TWA  | 1 mg/m3               | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (05 2013) |
| Distillates, petroleum,<br>hydrotreated middle -<br>Inhalable fraction. | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)   |
|   | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)   |
| Distillates, petroleum,<br>hydrotreated middle - Mist.                  | STEL | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
|   | TWA  | 5 mg/m3               | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |



| White mineral oil - Mist.               | TWA  | 1 mg/m3   | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
|---|------|-----------|--|
| White mineral oil - Inhalable fraction. | TWA  | 5 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)   |
|   | TWA  | 5 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)   |
| White mineral oil - Mist.               | TWA  | 5 mg/m3   | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
|   | STEL | 10 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
| Dibutyltin diacetate - as Sn            | STEL | 0.2 mg/m3 | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
|   | TWA  | 0.1 mg/m3 | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Dibutyltin diacetate - as Sn            | TWA  | 0.1 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)   |
| Dibutyltin diacetate - as Sn            | TWA  | 0.1 mg/m3 | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
|   | STEL | 0.2 mg/m3 | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |

Appropriate Engineering Controls Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

Individual protection measures, such as personal protective equipment

| General information:                | Use personal protective equipment as required.  |  |
|-------------------------------------|---|--|
| Eye/face protection:                | Wear goggles/face shield.   |  |
| Skin Protection<br>Hand Protection: | Use suitable protective gloves if risk of skin contact.   |  |
| Other:                              | No data available.  |  |
| Respiratory Protection:             | In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.                   |  |
| Hygiene measures:                   | Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. |  |

## 9. Physical and chemical properties

#### Appearance

| Physical state: | solid     |
|-----------------|-----------|
| Form:           | Paste     |
| Color:          | Colorless |



| Odor:  | Sour/acidic   |
|--|---|
| Odor threshold:                              | No data available.  |
| pH:  | No data available.  |
| Melting point/freezing point:                | No data available.  |
| Initial boiling point and boiling range:     | No data available.  |
| Flash Point:                                 | > 149 °C > 300 °F(Tag closed cup)   |
| Evaporation rate:                            | Slower than Ether   |
| Flammability (solid, gas):                   | No  |
| Upper/lower limit on flammability or explosi | ve limits   |
| Flammability limit - upper (%):              | No data available.  |
| Flammability limit - lower (%):              | No data available.  |
| Explosive limit - upper (%):                 | No data available.  |
| Explosive limit - lower (%):                 | No data available.  |
| Vapor pressure:                              | No data available.  |
| Vapor density:                               | Vapors are heavier than air and may travel along the floor and in the bottom of containers. |
| Relative density:                            | 1.015   |
| Solubility(ies)                              |   |
| Solubility in water:                         | Practically Insoluble   |
| Solubility (other):                          | No data available.  |
| Partition coefficient (n-octanol/water):     | No data available.  |
| Auto-ignition temperature:                   | No data available.  |
| Decomposition temperature:                   | No data available.  |
| Viscosity:                                   | No data available.  |
|  |   |

## 10. Stability and reactivity

| Reactivity:                            | No data available.  |
|--|---|
| Chemical Stability:                    | Material is stable under normal conditions.   |
| Possibility of hazardous<br>reactions: | No data available.  |
| Conditions to avoid:                   | Avoid heat or contamination.  |
| Incompatible Materials:                | Alcohols. Amines. Strong acids. Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). Strong bases. Water, moisture. |
| Hazardous Decomposition<br>Products:   | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.   |

11. Toxicological information

#### Information on likely routes of exposure Inhalation: In high

In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.



| Skin Contact:   | Causes mild skin irritation.   |
|---|--|
| Eye contact:  | Eye contact is possible and should be avoided.                           |
| Ingestion:  | May be ingested by accident. Ingestion may cause irritation and malaise. |
| Symptoms related to the physica   | I, chemical and toxicological characteristics                            |
| Inhalation:   | No data available.   |
| Skin Contact:   | No data available.   |
| Eye contact:  | No data available.   |
| Ingestion:  | No data available.   |
| Information on toxicological effe   | cts  |
| Acute toxicity (list all possible   | routes of exposure)  |
| Oral<br>Product:  | ATEmix: 6,622.56 mg/kg   |
| Dermal<br>Product:  | Not classified for acute toxicity based on available data.               |
| <b>Specified substance(s):</b><br>Silicon dioxide,<br>amorphous           | LD 50 (Rabbit): 5,001 mg/kg  |
| Distillates, petroleum, hydrotreated middle                               | LD 50 (Rabbit): > 2,000 mg/kg  |
| Inhalation<br>Product:  | ATEmix: 1.88 mg/l  |
| Repeated dose toxicity<br>Product:  | No data available.   |
| Skin Corrosion/Irritation<br>Product:                                     | No data available.   |
| Specified substance(s):<br>Distillates, petroleum,<br>hydrotreated middle | in vivo (Rabbit): Irritating Experimental result, Key study              |
| Ethyltriacetoxysilane   | in vivo (Rabbit): Category 1B Experimental result, Key study             |
|   |  |



| Specified substance(s):   |  |
|---|--|
| Distillates, petroleum, hydrotreated middle   | Rabbit, 24 hrs: Not irritating                               |
| Ethyltriacetoxysilane   | Rabbit, 24 - 72 hrs: Not irritating                          |
| Respiratory or Skin Sensitization<br>Product:   | <b>n</b><br>No data available.                               |
| Carcinogenicity<br>Product:   | May cause cancer.  |
| IARC Monographs on the Evaluation   | ation of Carcinogenic Risks to Humans:                       |
| No carcinogenic component<br>US. National Toxicology Program<br>No carcinogenic component | m (NTP) Report on Carcinogens:                               |
| US. OSHA Specifically Regulate<br>No carcinogenic component                               | <b>d Substances (29 CFR 1910.1001-1050):</b><br>s identified |
| Germ Cell Mutagenicity  |  |
| In vitro<br>Product:  | No data available.   |
| In vivo<br>Product:   | No data available.   |
| Reproductive toxicity<br>Product:   | No data available.   |
| Specific Target Organ Toxicity -<br>Product:  | Single Exposure<br>No data available.                        |
| Specific Target Organ Toxicity -<br>Product:  | Repeated Exposure<br>No data available.                      |
| Aspiration Hazard<br>Product:   | No data available.   |
| Other effects:  | No data available.   |



## 12. Ecological information

#### Ecotoxicity:

#### Acute hazards to the aquatic environment:

| Fish<br>Product:   | No data available.  |
|--|---|
| Specified substance(s):<br>Polydimethylsiloxane,<br>trimethyl endcap | LC 50 (Redear sunfish (Lepomis microlophus), 96 h): 26.27 - 56.73 mg/l<br>Mortality |
| Aquatic Invertebrates<br>Product:                                    | No data available.  |
| Specified substance(s):<br>Polydimethylsiloxane,<br>trimethyl endcap | LC 50 (Water flea (Daphnia magna), 48 h): 44.5 mg/l Mortality                       |
| Chronic hazards to the aquati  | c environment:  |
| Fish   |   |

| Product:  | No data available.   |
|---|--|
| Specified substance(s):<br>Distillates, petroleum,<br>hydrotreated middle | NOAEL (Oncorhynchus mykiss, 14 d): 0.069 mg/l QSAR QSAR, Key study |
| Aquatic Invertebrates<br>Product:   | No data available.   |
| Toxicity to Aquatic Plants<br>Product:                                    | No data available.   |
| Persistence and Degradability   |  |
| Biodegradation<br>Product:  | No data available.   |
| BOD/COD Ratio<br>Product:   | No data available.   |
| Bioaccumulative potential<br>Bioconcentration Factor (BC                  |  |
| Product:  | No data available.   |
| Partition Coefficient n-octanol / w<br>Product:                           | vater (log Kow)<br>No data available.                              |



| Mobility in soil:  | No data available.  |
|--|---|
| Other adverse effects:   | No data available.  |
| 13. Disposal considerations  |   |
| Disposal instructions:   | Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
| Contaminated Packaging:  | No data available.  |
| 14. Transport information  |   |
| TDG:   |   |
| Not Regulated  |   |
| CFR / DOT:   |   |
| Not Regulated  |   |
| IMDG:  |   |
| Not Regulated  |   |
| 15. Regulatory information   |   |
| US Federal Regulations<br>TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)<br>None present or none present in regulated quantities. |   |
| US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)<br>None present or none present in regulated quantities.                      |   |
| CERCLA Hazardous Substa  | nce List (40 CFR 302.4):  |

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Acute toxicity (any route or exposure) Carcinogenicity

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.



#### SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

#### SARA 311/312 Hazardous Chemical

| Chemical Identity          | Threshold Planning Quantity |
|----------------------------|-----------------------------|
| Polydimethylsiloxane,      | 10000 lbs                   |
| trimethyl endcap           |                             |
| Silicon dioxide, amorphous | 10000 lbs                   |
| Distillates, petroleum,    | 10000 lbs                   |
| hydrotreated middle        |                             |
| Ethyltriacetoxysilane      | 10000 lbs                   |

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

- Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.
- Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) None present or none present in regulated quantities.

#### **US State Regulations**

#### US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

#### US. New Jersey Worker and Community Right-to-Know Act

## Chemical Identity

Distillates, petroleum, hydrotreated middle

#### **US. Massachusetts RTK - Substance List**

#### **Chemical Identity**

Silicon dioxide, amorphous Distillates, petroleum, hydrotreated middle

#### US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u> Silicon dioxide, amorphous Distillates, petroleum, hydrotreated middle

#### **US. Rhode Island RTK**

#### <u>Chemical Identity</u> Distillates, petroleum, hydrotreated middle

#### International regulations

#### Montreal protocol

Not applicable

#### Stockholm convention

Not applicable

#### **Rotterdam convention**

Not applicable



#### Kyoto protocol Not applicable

#### VOC:

| Regulatory VOC (less water and<br>exempt solvent) | : | 0 g/l  |
|---|---|--------|
| VOC Method 310                                    | : | 0.02 % |



| Inventory Status:<br>EINECS, ELINCS or NLP: | One or more components in this product are not listed on or exempt from the Inventory. |
|---|--|
| Japan (ENCS) List:                          | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada NDSL Inventory:                      | One or more components in this product are not listed on or exempt from the Inventory. |
| US TSCA Inventory:                          | All components in this product are listed on or exempt from the Inventory.             |
| Japan ISHL Listing:                         | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing:                | One or more components in this product are not listed on or exempt from the Inventory. |
| Australia AICS:                             | All components in this product are listed on or exempt from the Inventory.             |
| Canada DSL Inventory List:                  | One or more components in this product are not listed on or exempt from the Inventory. |
| China Inv. Existing Chemical Substances:    | All components in this product are listed on or exempt from the Inventory.             |
| Korea Existing Chemicals Inv. (KECI):       | All components in this product are listed on or exempt from the Inventory.             |
| Philippines PICCS:                          | All components in this product are listed on or exempt from the Inventory.             |
| New Zealand Inventory of Chemicals:         | All components in this product are listed on or exempt from the Inventory.             |
| Mexico INSQ:                                | One or more components in this product are not listed on or exempt from the Inventory. |
| Ontario Inventory:                          | One or more components in this product are not listed on or exempt from the Inventory. |
| Taiwan Chemical Substance Inventory:        | One or more components in this product are not listed on or exempt from the Inventory. |



## 16.Other information, including date of preparation or last revision

| Revision Date:       | 01/21/2019   |
|----------------------|--|
| Version #:           | 2.2  |
| Further Information: | No data available.   |
| Disclaimer:          | For Industrial Use Only. Keep out of Reach of Children. The hazard<br>information herein is offered solely for the consideration of the user, subject<br>to their own investigation of compliance with applicable regulations, including<br>the safe use of the product under every foreseeable condition. |